


There are no translations available.



LENGTHS (mm)

L1 Wheelbase	4 490
L5 Front overhang	1 370
L6 Rear overhang	1 500
L7 Rear chassis overhang	

	2 340	
L11 Total length		
	9 700	
L13 Distance between front axle and superstructure		
	900	
L14 Distance from twin axle center to the superstructure center of gravity max / min.		
	650/510	

WIDTHS (mm)

B1 Cabin width		
	2 300	
B2 Width over rear wheels		
	2 460	
B3 Overall width		
	2 500	
B4 Width of chassis frame front		
	1 800	
B7 Min. turning circle diameter (m)		
	16,00	
B8 Min. turning clearance circle diameter (m)		
	17,8	

HEIGHTS (mm)

H1 Total height over cabin, unloaded		
	3 110	
H2 Total height over cabin, loaded		
	3 050	
H3 Chassis height, unloaded		
	1 400	
H4 Chassis height, loaded		
	1 350	
H11 Ground clearance, front		
	300	
H12 Ground clearance, rear		
	330	
H20 Max. lift up of the rear wheel		
	115	

WEIGHTS (kg)

G1 Permissible weight on axle 1		7 500
G2 Permissible weight on axle 2		9 500
G3 Permissible weight on axle 3		
	9 500	

G5 Total permissible weight	26 000
G6 Chassis truck net weight	12 000
G7 Chassis truck weight on front axle	6 500
G8 Chassis truck weight on rear axles	5 500
G9 Chassis truck carrying capacity	14 000
G12 Gross combination weight	-

PERFORMANCES

Maximum speed (km/h)	87
Maximum climbing ability (%)	28