
There are no translations available.





## LENGTHS (mm)

L1 Wheelbase between axel 1 and 2	
L2 Wheelbase between axel 2 and 3	4 190
	1 370
L5 Front overhang	0 0 7 5
L7 Rear chassis overhang	2 075
	1 200
L11 Total length	

L13 Distance between front axle and s	8 835 uperstructure 1 900
WIDTHS (mm)	
B1 Cabin width	
B2 Width over rear wheels	2 300
	2 480
B3 Overall width	2 550
B4 Width of chassis frame front	942
B5 Width of chassis frame rear	766
B6 Min. turning circle diameter (m)	
HEIGHTS (mm)	21,00
H1 Total height over cabin, unloaded	
H2 Total height over cabin, loaded	2 700
H3 Chassis height, unloaded	2 660
H4 Chassis height, loaded	1 185
	1 145
H11 Ground clearence, front	380
H12 Ground clearence, rear	
H13 Ground clearence between axles	380
	640
WEIGHTS (kg)	
G1 Permissible weight on axle 1	7 500
G2 Permissible weight on axle 2	10 000
G3 Permissible weight on axle 3 G5 Total permissible weight	
	22 000

10 000

G6 Chassis truck net weight *	10 500	
G9 Chassis truck carrying capacity	10 500	
- passengers with equipment (5)	500	
- in mass center	11 000	
G12 Towing weight road / cross-country 10 000 / 7 000		
*weight with driver and equipment (100kg)		
PERFORMANCES		
Maximum kinematic speed (km/h)	00	
Maximum climbing ability (%)	90	
- solo	57	
- with trailer	46	