
There are no translations available.





## LENGTHS (mm)

L1 Wheelbase between axel 1 and 2	
L2 Wheelbase between axel 2 and 3	4 190
	1 370
L5 Front overhang	
L7 Rear chassis overhang	2 075
Ç	1 200
L11 Total length	

L13 Distance between front axle and s	8 835 uperstructure 1 900	
WIDTHS (mm)		
B1 Cabin width	0.000	
B2 Width over rear wheels	2 300	
DO O contle della	2 480	
B3 Overall width	2 550	
B4 Width of chassis frame front	942	
B5 Width of chassis frame rear	766	
B6 Min. turning circle diameter (m)	21,00	
HEIGHTS (mm)		
H1 Total height over cabin, unloaded	2 700	
H2 Total height over cabin, loaded	2 660	
H3 Chassis height, unloaded	1 185	
H4 Chassis height, loaded	1 145	
H11 Ground algarance front	1 140	
H11 Ground clearence, front	380	
H12 Ground clearence, rear	380	
H13 Ground clearence between axles	640	
WEIGHTS (kg)		
G1 Permissible weight on axle 1		
G2 Permissible weight on axle 2	7 500	
G3 Permissible weight on axle 3	10 000	10 000
G5 Total permissible weight	22 000	

G6 Chassis truck net weight \* 10 500 G9 Chassis truck carrying capacity - passengers with equipment (5) 500 - in mass center 11 000 G12 Towing weight road / cross-country 10 000 / 7 000 \*weight with driver and equipment (100kg) **PERFORMANCES** Maximum kinematic speed (km/h) 90 Maximum climbing ability (%) - solo 57 - with trailer 46